


WNT RESTART

Regrinding instead of buying new - with the regrind service from WNT




TOTAL TOOLING = QUALITY x SERVICE²



Good to know

Service is a priority at WNT – this also applies to the re-processing of used tools



Bringing the old back to life

WNT Restart – regrinding, not replacing

Your used WNT precision tool is in the best possible hands with us. We return your tool to you as good as new and ready for use back in the machine. What is more, you can also enjoy a practically full service life in comparison to new product. Reduce the pressure on your budget by reusing your old tools! Take advantage of this Service² from WNT

Fair and transparent prices

- No surcharges for cutting off, roughing, etc.
- Prices given are valid irrespective of the delivery condition of your WNT tool. If regrind of a tool is uneconomical, the tool will be returned unprocessed.

Lead Time

Our standard delivery time is **20 working days**, starting on receipt of your order.

Terms and conditions

All tools that have been reground are marked to indicate and control the number of regrinds.


Minimum regrinding quantity: 3 pieces of the same model



High performance tools with WNT specific geometries and coatings are in safe hands with us.

Your benefits

- high process reliability by application of identical parameters as for new tools
- Reduction of your production and tooling costs
- low tool stockholding thanks to fast service
- ease of use with the WNT regrind box



A simple route to your reground tool

Send us your used WNT tools

On request we can provide a regrind box free of charge, so your tools can be transported safely. See below how to request a regrind box quickly and free of charge:

Phone: 0800 073 2073

Fax: 0800 073 2074

E-Mail: orders@wnt.com




Size of the box in mm
300 x 200 x 138

Your tools are checked on arrival at our regrind center, whether or to what extent they can be reworked. Then your tools are professionally sharpened and optionally coated.

Needless to say, the prepared tools are subject to our strict quality control by experienced professionals before they are returned.


The WNT regrind box route









Which WNT Tools can be reground?

Overview of Tools that WNT can regrind





WNT Solid Carbide Drilling Tools



WTX – High Performance Drills

		Regrinding	Recoating
UNI		✓	✓
VA		✓	✓
GG		✓	✓
AL		✓	✓
Ti		✓	✓
Quattro 4F		✓	✓

WTX – TB – deep hole solid carbide drills

TB 16 UNI	TB 20 UNI	TB 25 UNI	TB 30 UNI	TB 40 UNI	TB 50 UNI		
						✓	✓
							
TB 16 ALU	TB 20 ALU	TB 25 ALU	TB 30 ALU				
						✓	
							

WTX – solid carbide drill heads

Change UNI	Change P	Change VA	Change GG	Change ALU		
					✓	✓

NC Spot Drills

NC-A		✓	✓
------	---	---	---

WNT Solid Carbide Reamer



Solid carbide machine reamers

UNI
HSR

VA
HSR

H
HSR




Regrinding









Recoating



WNT Solid Carbide Milling Tools



Solid Carbide milling cutters

				Regrinding	Recoating
SilverLine	N			✓	✓
	W	Ti 1005		✓	✓
AluLine	W	DLC		✓	
	W			✓	
BlueLine	H			✓	✓
MonsterMill	TCR			✓	✓
Type N	N			✓	✓

www.wnt.com

TOTAL TOOLING = QUALITY x SERVICE²

