
Multitask machines

Demands for maximum versatility from tool manufacturers

- ▲ Flexible standard range for different machining processes
- ▲ Powerful tools designed for multitask machining
- ▲ Customised special solutions



Application examples

		Milling spindle				Turret		
		X-axis	Z-axis	Y-axis	B-axis	X-axis	Z-axis	Y-axis
	Grooving and parting off	✓		✓		✓		✓
	External turning	✓	✓	✓	✓	✓	✓	✓
	Face turning	✓	\checkmark	\checkmark	√	\checkmark	\checkmark	\checkmark
	Internal turning	✓	√	✓	✓	✓	√	✓
	Internal diameter drilling		√		√		√	
	Tapping	✓	√	✓	✓	✓	√	✓
	Face thread cutting	✓	\checkmark	√	√	\checkmark	\checkmark	\checkmark
	Screw cutting	✓	√	✓	✓	√	√	✓
	External diameter drilling	\checkmark	\checkmark		\checkmark			
J. T	External diameter milling	✓	√		✓			
	Main spindle milling/bore machining	✓	\checkmark		√			
Mary	Counter spindle milling/bore machining	√	√		✓			







Tooling a Sustainable Future





Multitask machining

Tool holders with DirectCooling (DC)

Targeted coolant application on the cutting edge

- ▲ The DirectCooling (DC) range offers accurate and targeted cooling rather than flood lubrication of the general area.
- ▲ For longer service lives and higher performance from the cutting

Advantages/benefits

The lengths of all CERATIZIT DirectCooling holders are perfectly matched to one another. As a result..

- ▲ Interference contours are eliminated
- ▲ A compact complete package is created
- ▲ Optimum stability is reached
- ▲ Unlimited flexibility is achieved



Drilling and turning with the EcoCut multifunctional tool

Reduces setup times and boosts your productivity



High Dynamic Turning with FreeTurn

Roughing, finishing, contour turning, facing and longitudinal turning, all with just one tool



cutting.tools/int/en/freeturn



cutting.tools/int/en/ecocut

Different boring bar base holders in combination with exchangeable cutting heads

The modular cutting head system for turning is also compatible with vibration-damped boring bars.





ToolScope

VDI parting blade holder with DC BMT square shank holder holder with DC BMT square shank holder holder with DC HSK-T / PSC square shank holder with DC



▲ Fewer trapped chips

▲ Universal application

▲ Reduced wear

MonoClamp - SX-DC MonoClamp - SX-DC MonoClamp - GX-DC



MaxiLock - N-DC



cutting.tools/directcooling

The right indexable insert for the widest range of applications

Find the right turning, drilling and grooving inserts for your machining scenario



cutting.tools/int/en/turning

The exact cutting insert to be used depends on the production method as well as the type and hardness of the material to be machined. To achieve good chip control and the best results, it is important that the geometry, grade, shape, size, corner radius and setting angle of the indexable insert is carefully selected.





Turning inserts



EcoCut inserts



Grooving inserts

Turning tool holder with machine interface

Choose the turning tool holders in different sizes and

versions to fit your machine interface.



Mono turning tool holders are compact and offer a combination of precision, ease of handling and flexibility that makes them such a good choice for the turning of workpieces.

Advantages/benefits

- ▲ High basic stability
- ▲ For efficient turning ▲ High precision
- ▲ Easy handling ▲ Low space requirement
- ▲ Simple tool change



